

INDEX TO VOLUME 83 (1997)

AUTHORS

- Adams, P.B.: see Laidig, Adams, Silberberg, and Fish.
- Andrew, N.G., V.C. Bleich, P.V. August, and S.G. Torres: Demography of mountain sheep in the East Chocolate Mountains, California, 68-77.
- Arnold, J.D. and G.L. Hendrickson: Bacterial shell disease in crangonid shrimp, 118-127.
- Arnold, J.D. and H.S. Yue: Prevalence, relative abundance, and mean intensity of plerocercoids of *Proteocephalus* sp. in young striped bass in the Sacramento-San Joaquin Estuary, 105-117.
- August, P.V.: see Andrews, Bleich, August, and Torres.
- Bleich, V.C.: see Andrews, Bleich, August, and Torres.
- Braden, G.T.: Book review. Monitoring bird populations by point counts, 130-131.
- Collins, B.W.: see Wallace and Collins.
- Dao, T.C.: see Spiegel and Dao.
- Domeier, M.L.: see Wertz and Domeier.
- Fish, H.E.: see Laidig, Adams, Silberberg, and Fish.
- Germano, D.J., D.F. Williams, and L.R. Saslaw: Utility of 10-day censuses to estimate population size of blunt-nosed leopard lizards, 144-152.
- Hendrickson, G.L.: see Arnold and Hendrickson.
- Kohlhorst, D.W.: see Schaffter and Kohlhorst.
- Laidig, T.E., P.B. Adams, K.R. Silberberg, and H.E. Fish: Conversions between total, fork, and standard lengths for lingcod, *Ophiodon elongatus*, 128-129.
- Lea, R.N.: see Love and Lea.
- Lonzarich, D.G. and J.J. Smith: Water chemistry and community structure of saline and hypersaline salt evaporation ponds in San Francisco Bay, California, 89-104.
- Love, M.S. and R.N. Lea: Range extension of the quillback rockfish, *Sebastes maling*, to the Southern California Bight, 78-83.
- McCue, P.M.: see Standley and McCue.
- Pondella, D.J., II: The first occurrence of the Panamic sergeant major, *Abudefduf troschelli* (Pomacentridae), in California, 84-86.
- Saiki, M.K.: Survey of small fishes and environmental conditions in Mugu Lagoon, California, and tidally influenced reaches of its tributaries, 153-167.
- Saslaw, L.R.: see Germano, Williams, and Saslaw.
- Schaffter, R.G.: Growth of white catfish in California's Sacramento-San Joaquin Delta, 57-67.
- Schaffter, R.G.: White sturgeon spawning migrations and location of spawning habitat in the Sacramento River, California, 1-20.
- Schaffter, R.G. and D.W. Kohlhorst: Mortality rates of white catfish in California's Sacramento-San Joaquin Delta, 45-56.
- Schwartz, M.W.: Book review. A manual of California vegetation, 87-88.
- Silberberg, K.R.: see Laidig, Adams, Silberberg, and Fish.
- Smith, J.J.: see Lonzarich and Smith.
- Spiegel, L.K. and T.C. Dao: The occurrence of hydrogen sulfide gas in San Joaquin kit fox dens and rodent burrows in an oil field in California, 38-42.
- Standley, W.G. and P.M. McCue: Prevalence of antibodies against selected diseases in San Joaquin kit foxes at Camp Roberts, California, 30-37.
- Torres, S.G.: see Andrews, Bleich, August, and Torres.

INDEX TO VOLUME 83 (1997)

AUTHORS

- Adams, P.B.: see Laidig, Adams, Silberberg, and Fish.
- Andrew, N.G., V.C. Bleich, P.V. August, and S.G. Torres: Demography of mountain sheep in the East Chocolate Mountains, California, 68-77.
- Arnold, J.D. and G.L. Hendrickson: Bacterial shell disease in crangonid shrimp, 118-127.
- Arnold, J.D. and H.S. Yue: Prevalence, relative abundance, and mean intensity of plerocercoids of *Proteocephalus* sp. in young striped bass in the Sacramento-San Joaquin Estuary, 105-117.
- August, P.V.: see Andrews, Bleich, August, and Torres.
- Bleich, V.C.: see Andrews, Bleich, August, and Torres.
- Braden, G.T.: Book review. Monitoring bird populations by point counts, 130-131.
- Collins, B.W.: see Wallace and Collins.
- Dao, T.C.: see Spiegel and Dao.
- Domeier, M.L.: see Wertz and Domeier.
- Fish, H.E.: see Laidig, Adams, Silberberg, and Fish.
- Germano, D.J., D.F. Williams, and L.R. Saslaw: Utility of 10-day censuses to estimate population size of blunt-nosed leopard lizards, 144-152.
- Hendrickson, G.L.: see Arnold and Hendrickson.
- Kohlhorst, D.W.: see Schaffter and Kohlhorst.
- Laidig, T.E., P.B. Adams, K.R. Silberberg, and H.E. Fish: Conversions between total, fork, and standard lengths for lingcod, *Ophiodon elongatus*, 128-129.
- Lea, R.N.: see Love and Lea.
- Lonzarich, D.G. and J.J. Smith: Water chemistry and community structure of saline and hypersaline salt evaporation ponds in San Francisco Bay, California, 89-104.
- Love, M.S. and R.N. Lea: Range extension of the quillback rockfish, *Sebastes maling*, to the Southern California Bight, 78-83.
- McCue, P.M.: see Standley and McCue.
- Pondella, D.J., II: The first occurrence of the Panamic sergeant major, *Abudefduf troschelli* (Pomacentridae), in California, 84-86.
- Saiki, M.K.: Survey of small fishes and environmental conditions in Mugu Lagoon, California, and tidally influenced reaches of its tributaries, 153-167.
- Saslaw, L.R.: see Germano, Williams, and Saslaw.
- Schaffter, R.G.: Growth of white catfish in California's Sacramento-San Joaquin Delta, 57-67.
- Schaffter, R.G.: White sturgeon spawning migrations and location of spawning habitat in the Sacramento River, California, 1-20.
- Schaffter, R.G. and D.W. Kohlhorst: Mortality rates of white catfish in California's Sacramento-San Joaquin Delta, 45-56.
- Schwartz, M.W.: Book review. A manual of California vegetation, 87-88.
- Silberberg, K.R.: see Laidig, Adams, Silberberg, and Fish.
- Smith, J.J.: see Lonzarich and Smith.
- Spiegel, L.K. and T.C. Dao: The occurrence of hydrogen sulfide gas in San Joaquin kit fox dens and rodent burrows in an oil field in California, 38-42.
- Standley, W.G. and P.M. McCue: Prevalence of antibodies against selected diseases in San Joaquin kit foxes at Camp Roberts, California, 30-37.
- Torres, S.G.: see Andrews, Bleich, August, and Torres.

- Wallace, M. and B.W. Collins: Variation in use of the Klamath River estuary by juvenile chinook salmon, 132-143.
Wertz, S.P. and M.L. Domeier: Relative importance of prey items to California halibut, 21-29.
Wicksten, M.K.: Introduction of the ridgetail prawn, *Exopalaemon carinicauda*, into San Francisco Bay, California, 43-44.
Williams, D.F.: see Germano, Williams, and Saslaw.
Yue, H.S.: see Arnold and Yue.

SUBJECT

- Antibodies: in kit fox, 30-37.
Bass, young striped: parasitism, 105-117.
Book review: A manual of California vegetation, 97-88.
Burrows, rodent: hydrogen sulfide concentrations, 38-42.
Catfish, white:
 growth, 57-67.
 mortality rates, 45-56.
Census, 10-day: blunt-nosed leopard lizard, 144-152.
Chemistry, water: in salt evaporation ponds, 89-104.
Community structure: in salt evaporation ponds, 89-104.
Delta, Sacramento-San Joaquin: white catfish:
 growth, 57-67.
 mortality rates, 45-56.
Demography: of mountain sheep, 68-77.
Dens, San Joaquin kit fox: hydrogen sulfide concentrations, 38-42.
Disease:
 in San Joaquin kit foxes, 30-37.
 in crangonid shrimp, 118-127.
East Chocolate Mountains: mountain sheep demography, 68-77.
Environmental conditions: in Mugu Lagoon, 152-167.
Estuary:
 Klamath River: use by juvenile chinook salmon, 132-143.
 Sacramento-San Joaquin: plerocercoids in young striped bass, 105-117.
Fishes, small: in Mugu Lagoon, 152-167.
Food habits: of California halibut, 21-29.
Fox, San Joaquin kit:
 antibodies and disease, 30-37.
 hydrogen sulfide gas, 38-42.
Gas, hydrogen sulfide: in kit fox dens and rodent burrows, 38-42.
Growth, of white catfish, 57-67.
Halibut, California: food habits, 21-29.
Hydrogen sulfide: in kit fox dens and rodent burrows, 38-42.
Lagoon, Mugu: small fishes and environmental conditions, 152-167.
Lingcod: length conversions, 128-129.
Lizard, blunt-nosed leopard: 10-day censuses, 144-152.
Mortality rates: of white catfish, 45-56.
Mountains, East Chocolate: mountain sheep demography, 68-77.
Mugu Lagoon: small fishes and environmental conditions, 152-167.
Parasitism: of young striped bass, 105-117.

Ponds, salt evaporation: water chemistry and community structure, 89-104.

Population size: blunt-nosed leopard lizard, 144-152.

Prawn, ridgetail: introduction, 42-43.

Range extension:

Panamic sergeant major, 84-86.

quillback rockfish, 78-83.

Rockfish, quillback: range extension, 78-83.

Rodent burrows: hydrogen sulfide concentrations, 38-42.

Salmon, juvenile chinook: use of Klamath River estuary, 132-143.

Sergeant major, Panamic: range extension, 84-86.

Sheep, mountain: demography, 68-77.

Shrimp, crangonid: bacterial shell disease, 118-127.

Spawning, white sturgeon: migrations and habitat, 1-20.

Species, introduced: ridgetail prawn, 43-44.

Structure, community: in salt evaporation ponds, 89-104.

Sturgeon, white: spawning migrations and spawning habitat, 1-20.

SCIENTIFIC NAMES

Abudefduf saxatilis, 84.

Abudefduf troschelii, 84-86.

Abudefduf vaigiensis, 84

Acanthogobius flavimanus, 98, 157.

Acipenser brevirostrum, 2.

Acipenser fulvescens, 2.

Acipenser medirostris, 1.

Acipenser oxyrinchus, 15.

Acipenser transmontanus, 1-20.

Actinaria sp., 98.

Ameiurus catus, 45-56, 57-67, 111.

Ameiurus nebulosus, 164.

Anchoa compressa, 155.

Anisogammarus confervicolus, 95, 99, 101.

Aquila chrysaetos, 71.

Artemia salina, 90, 98, 103.

Atherinops affinis, 21, 98, 157.

Balanus sp., 98.

Brucella canis, 32-34.

Brucella suis, 34.

Callisaurus draconoides, 150.

Canis latrans, 71.

Carassius auratus, 157.

Chirolophis nugator, 81.

Citharichthys sordidus, 24.

Citharichthys stigmaeus, 24.

Clevelandia ios, 157.

Clupea harengus, 102.

Cnemidophorus spp., 150.

Coccidioides immitis, 32, 33, 35.

Corophium sp., 95, 99, 101.

Crangon franciscorum, 43, 118-127.

Crangon nigricauda, 118-127

Crangon nigromaculata, 26.

Crangon sp., 101.

Cymatogaster aggregata, 102, 157.

Dipodomys nitratoides brevanasus, 38.

Dipsosaurus dorsalis, 150.

Engraulis mordax, 21, 102.

Enteromorpha sp., 101.

Equus asinus, 70.

Eteone californica, 102.

Eucyclogobius newberryi, 154.

Eurytemora affinis, 106, 107, 111, 115.

Exopalaemon carinicauda, 43-44.

Fundulus parvipinnis, 21, 157.

Gambusia sila, 144-152.

Gambusia wislizenii, 149.

Gambusia affinis, 157.

Gasterosteus aculeatus, 98, 164.

Gemma gemma, 98.

Genyonemus lineatus, 24.

Gila orcutti, 157.

Gillichthys mirabilis, 98.

Hemigrapsus oregonensis, 98.

Hemisquilla ensigera, 23.

Hermosilla azurea, 85.

Heteromastis filiformis, 102.

Hypomesus transpacificus, 114.

Ictalurus punctatus, 55.

- Illyanassa obsoleta*, 98.
Kyphosus analogus, 85.
Lacistorhynchus dollfusi, 106, 111, 113, 114.
Larus, spp., 102.
Lepidogobius lepidus, 100.
Lepomus macrochirus, 106.
Leptocottus armatus, 98, 157.
Leptospira interrogans, 30, 32-34.
Loligo opalescens, 27.
Lucania parva, 98.
Lynx rufus, 71.
Macoma balthica, 102.
Mephitis mephitis, 35.
Metamysidopsis elongata, 22.
Micropterus dolomieu, 106
Micropterus punctulatus, 106
Micropterus salmoides, 106
Morone saxatilis, 105.
Mugil cephalus, 155.
Mustelus californicus, 160.
Mustelus henlei, 102.
Mycteroperca xenarcha, 85.
Myliobatis californica, 102, 157.
Natantia, 23-26.
Nautichthys oculofasciatus, 81.
Neomysis kadiakensis, 22.
Nereis succinea, 98.
Odocoileus hemionus, 70.
Oncorhynchus mykiss, 164.
Oncorhynchus tshawytscha, 132-143.
Ophidion scrippsae, 24.
Ophiodon elongatus, 128-129.
Ovis canadensis nelsoni, 68-77.
Palaemon macrodactylus, 43, 98.
Paralabrax maculatofasciatus, 85.
Paralabrax nebulifer, 155.
Paralichthys californicus, 21-29, 157.
Pelecanus occidentalis, 102.
Phalacrocorax auritus, 102.
Pimephales promelas, 164.
Platichthys stellatus, 100.
Pleuronectes vetulus, 23.
Polydora ligni, 95-98, 102, 103.
Porichthys myriaster, 155.
Portunus xantusii, 23.
Procambarus clarki, 165.
Procyon lotor, 35.
Proteocephalus ambloplitis, 106.
Proteocephalus sp., 105-117.
Pseudomonas sp., 118, 120, 125.
Puma concolor, 71.
Quercus, spp., 31.
Rhinobatos productus, 157.
Sardinops sagax, 24.
Sceloporus spp., 150.
Scolex pleuronectis, 106, 114.
Scomber japonicus, 25.
Sebastes maliger, 78-83.
Sebastes melanops, 81.
Sebastes nebulosus, 81.
Sebastes spp., 23.
Sectator ocyurus, 85.
Seriphus politus, 23.
Sicyonia ingentis, 26.
Sinocalanus doerrii, 106, 107, 111, 115.
Spaeroma quoyana, 98.
Spermophilus beecheyi, 34.
Spirinchus thaleichthys, 114.
Sterna spp., 102.
Streblospio benedicti, 102.
Syngnathus leptorhynchus, 164.
Synodus luciocephalus, 23.
Toxoplasma gondii, 32-34.
Trachurus symmetricus, 25.
Triakis semifasciatus, 157.
Trichocorixa reticulata, 96, 97, 99, 103.
Tryonia imitator, 98.
Tubificoides spp., 95, 96, 98.
Uta stansburiana, 149.
Vibrio spp., 118, 120, 125.
Vulpes macrotis arsipus, 35.
Vulpes macrotis mutica, 30-37, 38-42.
Yersinia pestis, 32-35.
Zalembius rosaceus, 23.
Zaniolepis latipinnis, 23.
Zostera marina, 164.